

CONFIDENTIAL

CIRCUITRY OF SHIPBOARD ELECTRONICS EQUIPMENT

**Prepared by
BUREAU OF NAVAL PERSONNEL**

**DOWNGRADING AT 12-YEAR INTERVALS
NOT AUTOMATICALLY DECLASSIFIED
DOD DIR 5200.10**

NAVPERS 10787

CONFIDENTIAL

PREFACE

Circuitry of shipboard electronics equipment is written primarily for electronics officers (LDO's). It is one of the officer texts replacing Naval Electronics Part I, II, and III and should provide invaluable aid to anyone who desires more knowledge of the system described.

This text contains block diagram and circuit analysis of the principal representative shipboard electronic equipments presently in use. Circuitry of Shipboard Electronic Equipment was prepared by the Navy Training Publication Center, Washington, D. C., which is a field activity of the Bureau of Naval Personnel.

UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON : 1962

CONTENTS

CHAPTER	PAGE
1. Countermeasures, AN/WLR-1	1
2. Operating principles of a representative uhf radio transmitter TED series.	31
3. Operating principles of a representative vhf radio communications receiver, AN/URR-27.	57
4. Operating principles of a representative uhf radio communications receiver, AN/URR-35A.	75
5. Electronic aids to navigation: Tacan, AN/SRN-6 (Part I)	94
6. Electronic aids to navigation: Tacan, AN/SRN-6 (Part II)	120
7. Operating principles of a representative uhf transceiver, AN/GRC-27A. . .	146
8. Operating principles of a representative ssb radio transceiver, AN/URC-32 (Part I)	181
9. Operating principles of a representative ssb radio transceiver, AN/URC-32 (Part II).	203
10. Operating principles of a representative surface search radar, AN/SPS-10D (Part I).	222
11. Operating principles of a representative surface search radar, AN/SPS-10D (Part II)	241
12. Operating principles of a representative air search radar, AN/SPS-29 (Part I).	259
13. Operating principles of a representative air search radar, AN/SPS-29 (Part II)	291
14. Operating principles of a hemispherical scan radar, AN/SPS-42 (Part I).	311
15. Operating principles of a hemispherical scan radar, AN/SPS-42 (Part II)	343
16. Operating principles of a representative h-f radio transmitter, AN/WRT-2	361
INDEX	381

INDEX

- Acquisition scope, countermeasures receiving set, AN/WLR-1, 18
- A-f-c, surface search radar, 245
- AGC-silencer amplifier, UHF radio receiver, AN/URR-35A, 89
- Air search radar, AN/SPS-29, 259-290
 - block diagram, 264-267
 - functional description, 259-290
 - component parts, diagrams of, 260-263
 - low voltage section, 308
 - modulating section, 269-273
 - monitoring section, 304-308
 - horizon section, 306
 - power supplies, 307
 - vertical section, 306
 - ranging functional section, 299
 - range indicator, 299-303
 - receiving functional section, 291-299
 - control monitor group, 296-299
 - radar receiver, 291-296
 - transmitting section, 273-290
 - antenna, 288-290
 - buffer amplifier, 275-279
 - duplexer, 283
 - exciter, 275
 - power amplifier, 280
 - power and vswr monitor, 284-286
 - radio frequency amplifier, 279
 - rotating joint of antenna pedestal, 287
 - transmission line tuner, 286
 - water cooling system, 281
 - trigger generating circuit, 267-269
 - trigger generator section, 267
- Amplifier
 - bearing magnetic, AN/SRN-6, 140-142
 - circuits, radio set, AN/GRC-27A, 163
 - modulator, AN/SRN-6, 133
 - radio frequency, radar set, AN/SPS-29, 262
 - surface search radar, 246
 - SSB, transceiver, AN/URC-32, 220, 221
 - stages, UHF radio receiver AN/URR-35A, 89
 - UHF radio transmitter TED series, 37
- Amplifiers
 - h-f radio transmitter AN/WRT-2, 372
 - feedback, 368
 - power, 372
 - radiofrequency, 373
 - i-f, Tacan, AN/SRN-6, 115, 123
 - i-f, countermeasures receiving set, AN/WLR-1, 8
 - receiver, surface search radar, 251
 - r-f radio receiver, AN/URR-35A, 79
 - scan radar, 345
- Antenna
 - and microwave section, scan radar, 344
 - assembly and antenna control circuits, surface search radar, 239
- Antenna--continued
 - construction and antenna patterns, AN/SRN-6, diagram of, 97
 - input, UHF radio receiver AN/URR-35A, 78
 - input, VHF radio receiver, AN/URR-27, 61
 - positioning section, scan radar, 355-357
 - speed control, Tacan, AN/SRN-6, 135
 - synchronization oscillator, AN/SRN-6, 127
 - system, AN/SRN-6, 108
 - tuner, h-f radio transmitter, AN/WRT, 372
- Antistickoff voltage, AN/SRN-6, 142
- AN/URR-27, VHF radio communications
 - receiver set, 57-74
 - block diagram, 60
 - circuit analysis, 61
 - comparison with the AN/URR-21, 71
 - I-F amplifiers, 64-71
 - if/af section, 64
 - preselector section, 61-64
 - general description of, 57-60
 - operational uses of, 73
- Audio
 - amplifier circuits, AN/GRC-27A, 163
 - amplifier stages, AN/URR-35A, 91-93
 - amplifiers, UHF radio transmitter, TED series, 42
 - and AVC circuits, UHF radio transmitter, ted series, 39
 - and control unit SSB radio receiver AN/URC-32, 183-188
 - block diagram, 183
 - circuit operation, 186
 - speaker amplifier, 187
 - detector, VHF radio receiver AN/URR-27, 65
 - frequency circuits, VHF radio receiver AN/URR-27, 69
 - monitoring circuit, UHF radio transmitter, TED series, 48
- Automatic gain control, scan radar, 348
- Autopositioner, radio receiver, R-278B/GR, 153
- Autopositioner UHF transceiver, AN/GRC-27A, 153
- AVC circuit, UHF radio transmitter, TED series, 40
- AVC rectifier circuit, VHF radio receiver AN/URR-27, 68
- Azimuth indicator-pulse analyzer, countermeasures receiving set AN/WLR-1, 17
- Azimuth-range indicating section (PPI), 357-359
- Band suppression filter, VHF radio receiver AN/URR-27, 71
- Beacon a-f-c circuit, 248-251
- Beam pattern, scan radar, 353
- Bearing, Tacan AN/SRN-6
 - components, scan radar, 330
 - servo system, 109, 140

- Bias rectifier
 - surface search radar, 247
 - UHF radio transmitter series, TED, 50
- Binary number system, scan radar, 321
- Blanking gate circuits, Tacan
 - AN/SRN-6, 117
- Blower, thermostat and primary circuits,
 - VHF radio receiver AN/URR-27, 71
- Broadside beam, scan radar, 340
- Butler oscillator, UHF radio transmitter
 - TED series, 36
- Cabinet, radio receiver set, AN/URR-35A, 76
- Cable filter section, VHF radio receiver
 - AN/URR-27, illustration of, 59
- Capacitor, UHF radio transmitter TED series, 41
- Carrier-control circuit, UHF radio transmitter, TED series, 44
- Carrier generating chain, Tacan,
 - AN/SRN-6, 112
- Carrier-operated relay and squelch circuit, radio transmitter, TED series, 161
- Chassis, radio receiver set, AN/URR-35A, 76
- Circuit analysis
 - radio transmitter TED series, 36
 - UHF radio receiver AN/URR-35A, 78
 - VHF radio receiver AN/URR-27, 61
- Clipper circuit, UHF radio transmitter, TED series, 40
- Clutter gate, scan radar, 349
- Coder indicator, Tacan AN/SRN-6, 104
 - functions of, 120
- Coherent oscillator, scan radar, 346
- Control circuits, SSB radio receiver,
 - AN/URC-32, 200-202
- Control-duplexer, AN/SRN-6, 107, 134
- Control indicator of radar set,
 - AN/SPS-29, 263
- Control-storer, AN/WLR-1, 26
- Countermeasures receiving set,
 - AN/WLR-1, 1-30
 - analysis indicator presentations, diagram of, 3, 4
 - block diagram, 5
 - circuit analysis, 6
 - acquisition scope, 18
 - analysis scope, 20-22
 - azimuth indicator-pulse analyzer, 17
 - control-storer, 26
 - frequency converter, 2, 13
 - frequency discriminator, 15
 - r-f transmission line switch, 10
 - panoramic display, 25
 - surface-to-air missile reports, 242-244
 - video input circuits, 18
- Crystal oscillator
 - 1-mc, H-F radio transmitter, AN/WRT-2, 364
- C-w and fsk unit, SSB radio receiver
 - AN/URC-32, 197-200
- Data-stabilization section, scan radar, 357
- Dead time stages, scan radar, 348
- Delay line, scan radar, 351
- Detector and noise limiter, UHF radio receiver, AN/URR-35A, 89
- Direction finding, electronic countermeasures receiving set, AN/WLR-1
 - displays, 22
 - horizontal waveforms, 24
- Doubler, UHF radio transmitter, TED series, 37
- Driver stages, radio set, AN/GRC-27A, 173
- Dynamic handset, SSB radio receiver,
 - AN/URC-32, 183
- Electrical frequency control circuit, H-F radio transmitter, AN/WRT-2, 364
- Electronic aids to navigation, TACAN (Tactical Aids to navigation),
 - AN/SRN-6, 94-119
 - block diagram, 102-111
 - antenna system, 108-111
 - code-indicator, 104
 - control-duplexer, 107
 - receiver, 102
 - transmitter, 105
 - circuit analysis of radio receiver, 111
 - blanking gate circuits, 117
 - carrier generating chain, 112
 - ferris discriminator, 115
 - intermediate frequency amplifiers, 115
 - metering circuit, 118
 - mixer, 112
 - power supplies, 118
 - preamplifier stages, 114
 - squitter control circuit, 118
 - video amplifier stages, 116
 - general description, 94-102
 - antenna construction and patterns, 97
 - major components of, diagram, 95
 - reference burst pulser assembly, illustration, 98
 - roll and pitch servo system, 143-145
- Electronic radio set, Tacan (Tactical aid to navigation), AN/SRN-6, 94-119
 - antenna speed control, 135
 - power amplifier, 139
 - voltage magnetic preamplifier, 137-139
- bearing servo system, 140
 - antistickoff voltage, 142
 - bearing magnetic amplifier, 140-142
- block diagram, 102-111
 - antenna system, 108-111
 - code-indicator, 104
 - control-duplexer, 107
 - receiver, 102
 - transmitter, 105
- circuit analysis of radio receiver, 111
 - blanking gate circuits, 117
 - carrier generating chain, 112
 - ferris discriminator, 115
 - intermediate frequency amplifiers, 115
 - metering circuit, 118
 - mixer, 112

- Electronic radio set, Tacan (tactical aid to navigation), AN/SRN-6--continued
 - power supplies, 118
 - preamplifier stages, 114
 - squitter control circuit, 118
 - video amplifier stages, 116
- coder-indicator, 120-127
 - antenna synchronization oscillator, 127
 - encoding delay line and output amplifiers, 123
 - identification code circuits, 124-127
 - reference burst generator stages, 120-123
- control-duplexer, 134
- frequency multiplier-oscillator, 127-134
 - amplifier-modulator, 133
 - video chassis, 128-133
- Elevation beam, scan radar, 341
- Elscan computer program, scan radar, 322
- Elscan terminology and timing signals, 322-327
 - CV-MTI mode, 327
 - elevation scan positions, diagram, 324
 - normal MTI mode, 324
 - video mode, 326
- Exciter stages, radio set AN/GRC-27A, 171
- Fast automatic gain control, scan radar, 348
- Filament-heater and plate screen supply, VHF radio receiver AN/URR-27, 71
- Flip-flop circuits, hemispherical scan radar, 318
- Frequency
 - converters, countermeasures AN/WLR-1, 10-15
 - converter tuner, countermeasures AN/WLR-1, 7
 - counter, 321
 - discriminator, 15
 - generator, SSB transceiver, AN/URC-32, 203
 - indicator, AN/WLR-1, 30
 - multiplier-oscillator, AN/SRN-6, 127
 - selector system, UHF transceiver AN/GRC-27A, 152
- Gain control, scan radar, 348
- Generator, modulator pulse, surface search radar, 230
- Geometry, stabilization, scan radar, 328
- Handset adapter, SSB radio receiver AN/URC-32, 183
- Hemispherical scan radar, AN/SPS-42, 311-341
 - antenna positioning section, 355-357
 - general description, 311-314
 - transmitting function, 331
 - antenna, 337-341
 - modulator channel, 332
 - r-f channel, 333
 - traveling wave tube, 334-337
- H-F radio transmitter, AN/WRT-2, 361
 - general description, 361
 - master oscillator-frequency multiplier circuit analysis, 369
- H-F radio transmitter, AN/WRT-2--continued
 - frequency multiplier circuits, 376
 - master oscillator, 369
 - modulating section, 370
 - block diagram, 370-372
 - overall block diagram, 361
 - power amplifier and antenna section, 372
 - block diagram, 373
 - circuit analysis, 374-378
 - power supply section, 378
 - r-f generating section, 363
 - detailed block diagram, 364
 - interpolation oscillator, 368
 - master oscillator-phase detector, 366-368
 - 100-kc phase detectors, 368
- Identification code circuits, AN/SRN-6, 124-127
- I-f amplifiers
 - bandwidth circuit, surface search radar, 253
 - countermeasures, AN/WLR-1, 8, 10
 - scan radar, 345
 - UHF radio communications receiver, AN/URR-35A, 86
 - VHF radio receiver, AN/URR-27, 64
- I-f oscillator, radio set, AN/GRC-27A, 168
- Indicating function, scan radar, 357
- Indicator adapter, search radar, 256
- Injection system, radio set AN/GRC-27A, 154
- Intermediate frequency amplifiers, AN/SRN-6, 115
- Interpolation oscillator, H-F radio transmitter, AN/WRT-2, 368
- Isolation amplifier, SSB radio transceiver AN/URC-32, 221
- Local oscillator, countermeasures, AN/WLR-1, 9
- Logical algebra, 315
- Logic circuits, hemispherical scan radar, 316-320
- Low voltage rectifier, UHF radio transmitter series, TED, 50
- Master circuit, air search radar, 292
- Master oscillator, H-F radio transmitter, AN/WRT-2, 369
- Master oscillator-phase detector, H-F radio transmitter, AN/WRT-2, 366
- Metering circuits
 - surface search radar, 257
 - Tacan, AN/SRN-6, 118
 - UHF radio transmitter series, TED series, 51
 - VHF radio receiver, AN/URR-27, 64
- Meter readings for aircraft positions, AN/SRN-6, 100
- Mixer and i-f amplifier stages, UHF transceiver, AN/GRC-27A, 156-160
- Mixer-preamplifier, scan radar, 344
- Mixer, Tacan, AN/SRN-6, 112
- Modulating section
 - air search radar, AN/SPS-29, 269
 - H-F radio transmitter, AN/WRT-2, 370-372

- Modulator-power supply, UHF transceiver, 176
 - audio input circuit, 177
 - audio stages, 178
 - mcw oscillator circuit, 178-180
- Modulator, surface search radar, AN/SPS-10D, 226
- Moving target indicator, scan radar, 352
- Multipliers, UHF radio communications receiver, AN/URR-35A, 78
- Narrow band operator, countermeasures, AN/WLR-1, 12
- Navigation aids, electronic, radio set AN/SRN-6, 94-119
 - block diagram, 102-111
 - antenna system, 108-111
 - code-indicator, 104
 - control-duplexer, 107
 - receiver, 102
 - transmitter, 105
- circuit analysis of radio receiver, 111
 - blanking gate circuits, 117
 - carrier generating chain, 112
 - ferris discriminator, 115
 - intermediate frequency amplifiers, 115
 - metering circuit, 118
 - mixer, 112
 - power supplies, 118
 - preamplifier stages, 114
 - squitter control circuit, 118
 - video amplifier stages, 116
- general description of, 94-102
 - antenna construction and patterns, 97
 - major components of, diagram, 95
 - reference burst pulser assembly, illustration, 98
- Noise cancellation detector, radio set AN/GRC-27A, 160
- Noise circuits and noise figure check, air search radar, AN/SPS-29
- Noise limiter, VHF radio receiver AN/URR-27, 65-68
- Nuclear warheads, 18
- Oscillator-multiplier section, UHF radio receiver, AN/URR-35A, 82
- Oscillator-multiplier, VHF radio receiver, AN/URR-27, 63
- Oscillators
 - amplifier, scan radar, 333
 - Butler radio transmitter, TED series, 36
 - countermeasures, AN/WLR-1, 7
 - H-F radio transmitter, AN/WRT-2
 - interpolation, 368
 - master, 363
 - master oscillator-frequency multiplier circuit analysis, 369
 - master oscillator-phase detector, 366
 - 1-mc crystal, 364
 - radio frequency, 363-365
 - radio receiver, UHF, AN/URR-35A, 77
 - local, 82
 - radio set, i-f, AN/GRC-27A, 168
 - radio transmitter, MCW, UHF, TED series, 44
- Oscillators--continued
 - radio transmitter
 - repetition rate, surface search radar, 229-232
 - scan radar, 346
 - Tacan, AN/SRN-6, 127
 - transceiver, SSB, AN/URC-32
 - master, 214
 - reference, 219
 - sidestep, block diagram, 215-217
 - stabilized master, 212-214
- Panoramic display, AN/WLR-1, 25
- Peak detector, search radar, 246
- Phantastron circuit, surface search radar, 247
- Phase sensitive detector, AN/SRN-6, 135
- Pitch and roll compensation, scan radar, 330
- Power amplifier
 - and antenna section, H-F radio transmitter, AN/WRT-2, 372-378
 - block diagram, 373
 - circuit analysis, 374-378
 - AN/SRN-6, 139
 - radio set, AN/GRC-27A, 173
 - SSB transceiver, AN/URC-32, 207-209
- Power supply
 - AN/SRN-6, 118
 - section, H-F radio transmitter, AN/WRT-2, 378
 - SSB transceiver, AN/URC-32, 209-212
 - UHF radio transmitter, TED series, 49
 - VHF radio receiver AN/URR-27, 71
- PPI video amplifiers, 297
- Preamplifier
 - scan radar, 344
 - stages, AN/SRN-6, 114
 - voltage magnetic, AN/SRN-6, 137
- Preselector section, VHF radio receiver, AN/URR-27, 61
- Pulse amplifier, surface search radar, 246
- Pulse stretcher circuit, diagram, 21
- Radar
 - antenna, sinous feed assembly, scan radar, diagram, 338
 - beam pattern, scan radar, 353
 - beam stabilization geometry, scan radar, 328
 - indicator, hemispherical scan radar, 358
 - receiver, air search radar, AN/SPS-29, 259-290
 - receiver, surface search radar, 241
- Radio
 - receiver R-278B/GR, 149
 - receiver set, AN/URR-21A, 71
 - comparison with AN/URR-27, 71
 - diagram of, 73
 - receiver set, UHF, AN/URR-35A, 75-93
 - block diagram, 75-78
 - receiver set, Tacan, AN/SRN-6, 94-145
 - block diagram, 102-111
 - circuit analysis of radio receiver, 111-118
 - general description, 94-102
 - roll and pitch servo system, 143-145

Radio--continued

- receiver set, UHF, AN/URR-35A, 75-93
 - block diagram, 75-78
 - circuit analysis, 78-93
 - general description of, 75
 - receiver set, VHF, AN/URR-27, 57-74
 - block diagram, 60
 - circuit analysis, 61
 - general description of, 57-60
 - operational uses of, 73
 - transceiver set, SSB, AN/URC-32, 181-221
 - audio and control unit, 183-188
 - block diagram, 181
 - control circuits, 200
 - c-w and fsk unit, 197-200
 - dynamic handset, 182
 - frequency divider, 217-219
 - frequency generator, 203
 - handset adapter, 183
 - isolation amplifier, 221
 - power amplifier, 207-209
 - power supply, 209-212
 - reference oscillator, 219-221
 - r-f tuner block diagram, 203-207
 - sideband generator, 188
 - sidestep oscillator, block diagram, 215-217
 - stabilized master oscillator, 212-215
 - transceiver set, UHF, AN/GRC-27A, 146-180
 - description of, 146
 - frequency selector system, 152
 - modulator-power supply, 176
 - radio transmitter, T-217A/GR, 165-167
 - receiver block diagram, 147-152
 - receiver circuit operation, 167
 - transmitter set, H-F, AN/WRT-2, 361-379
 - general description, 361
 - master oscillator-frequency multiplier circuit analysis, 369
 - modulating section, 370
 - overall block diagram, 361
 - power amplifier and antenna section, 372-378
 - power supply section, 378
 - r-f generating section, 363-368
 - transmitter set, T-217A/GR, 165
 - transmitter set, UHF, TED series, 31-56
 - audio monitoring circuit, 48
 - basic similarities in model TED series equipments, 55
 - block diagram, 32-36
 - carrier-control circuit, 44
 - general description of, 31
 - metering circuit, 51-55
 - power supplies, 49-51
 - volume expander, 46
- Receivers, radio
- AN/URR-21A, 71
 - R-278B/GR, 149
 - Tacan, AN/SRN-6, 94-119
 - UHF, AN/URR-35A, 75-93
 - VHF, AN/URR-27, 57-74
- Receiving functional section, air search radar, AN/SPS-29, 291-299

- Receiving functional section, air search radar, AN/SPS-29--continued
- control monitor group, 296-299
 - noise circuits and noise figure check, 298
 - PPI video amplifiers, 297
 - range video amplifier, 297
 - video detector circuits, 296
 - video preamplifier, 297
- radar receiver, 291-296
- bias pulser, 292
 - i-f amplifiers, 295
 - meter circuit, 292-295
 - mixer-local oscillator, 292
 - r-f amplifiers, 291
- Receiving function, hemispherical scan radar, 343
- antenna and microwave section, 344
 - clutter gate, 349-352
 - i-f amplifiers, 345-349
 - mixer-preamplifier, 344
 - moving target indicator, 352
 - receiving section inputs, 343
- Receiving set, countermeasures, AN/WLR, 1-30
- Reference
- burst generator stages, AN/SRN-6, 120-123
 - burst pulses assembly, AN/SRN-6, 97
 - oscillator, SSB transceiver, AN/URC-32, 219-221
- Repetition rate oscillator, surface search radar AN/SPS-10D, 229
- R-f amplifiers
- air search radar, 291
 - radio set, AN/GRC-278, 154
 - scan radar, 332-334
 - UHF radio receiver, AN/URR-35A, 79
 - VHF radio receiver, AN/URR-27, 61
- R-f and injection frequencies for various dial readings, chart of, 151
- R-f monitoring circuits, H-F radio transmitter, AN/WRT-2, 375
- R-f transmission line switch, countermeasures, AN/WLR-1, 10
- R-f tuner, block diagram, SSB transceiver, AN/URC-32, 203-207
- transmit function, 206
- Roll and pitch servo systems, 143
- Tacan, AN/SRN-6, 143
- Scan-channel amplifier, UHF radio receiver, AN/URR-35A, 88
- Scan operation, countermeasures, AN/WLR-1, 27
- Scan radar, hemispherical, AN/SPS-42, 311-341
- antenna positioning section, 355-357
 - general description, 311-314
 - indicating function, 357
 - azimuth-range indicating section (PPI), 357
 - data-stabilization section, 357
 - slant-range and height indicating section, 358
 - receiving function, 343
 - side lobe suppression section, 353
 - synchronizing function, 314-331

- Scan radar, hemispherical--continued
 binary-number system, 320
 elscan computer programmer, 322
 elscan terminology and timing signals, 322-327
 frequency counter, 321
 logical algebra, 315
 logic circuits, 316-320
 space-stabilization geometry, 327-331
 transmitting function, 331
 antenna, 337-341
 modulator channel 332
 r-f channel, 333
 traveling wave tube, 334-337
- Sensitivity-time channel, scan radar, 347
- Sensitivity time control circuit, surface search radar, 254
- Servo systems, AN/SRN-6, 108-111, 143
- Shunt noise limiter, radio set, AN/GRC-27A, 160
- Sideband generator, SSB, AN/URC-32, 188-197
 receive circuit, 193-197
 receive function, 189
 transmit circuit, 189-193
 transmit function, 188
- Side lobe suppression section, scan radar, 353-355
- Sidestep oscillator, SSB radio transceiver, AN/URC-32, 215-219
 functional description, 217
 twenty-kilocycle divider circuit, 217-219
- Silencer amplifier, UHF radio receiver, AN/URR-35A, 89
- Silencer, UHF radio receiver, AN/URR-35A, 91
- Slant-range and height-indicating section, 358
- Space-stabilization geometry, scan radar, 327-331
- Squelch circuits
 radio receiver, AN/URR-35A, 91
 radio set, AN/GRC-27A, 161
- Squitter control circuit, AN/SRN-6, 118
- Stabilized master oscillator, SSB transceiver, AN/URC-32, 212-215
- Storage channel pushbutton mechanism, AN/WLR-1, 28
- Surface search radar, AN/SPS-10D, 222-258
 antenna assembly and antenna control circuits, 239, 240
 block diagram, detailed, 222-226
 general description, 222
 indicator adapter, 256
 meter circuits, 257
 modulator, 226-232
 block diagram, 227-229
 blocking oscillator, 230
 limiter-shaper, 230
 modulator pulse generator, 230-232
 repetition rate oscillator, 229
 radar receiver, 241
 beacon a-f-c circuit, 248-251
 block diagram, detailed, 243
 circuit operation, 243
 i-f amplifier bandwidth selection circuit, 252
- Surface search radar, AN/SPS-10D--continued
 mixer assembly, 244
 radar a-f-c circuit, 245-248
 receiver i-f amplifiers, 251
 sensitivity-time control circuit, 254-256
 video circuit, 252
 transmitter, 232-239
 block diagram, 232
 circuit analysis, 233-235
 directional coupler and echo box, 237-239
 microwave switching, 235-237
- Switch tubes, scan radar, 351
- Synchronizing function, hemispherical scan radar, 314
 binary-number system, 320
 elscan terminology and timing signals, 322-327
 frequency counter, 321
 logic circuits, 316-320
- Target indicator, scan radar, 352
- Target position information, scan radar, 329
- Thyratron trigger amplifier, air search radar, AN/SPS-29, 271
- Time
 base circuits, air search radar, 299
 control channel, scan radar, 347
 control circuit, surface search radar, 254-256
- Transceiver, SSB, AN/URC-32
 audio and control unit, 183-188
 block diagram, 183-186
 circuit operation, 186-188
 block diagram, 181
 control circuits, 200
 c-w and fsk unit, 197-200
 dynamic handset, 182
 frequency divider, 217-219
 frequency generator, 203
 handset adapter, 183
 isolation amplifier, 221
 power amplifier, 207-209
 power supply, 209-212
 reference oscillator, 219-221
 r-f tuner block diagram, 203-207
 sideband generator, 188
 receive circuit, 193-197
 receive function, 189
 transmit circuit, 189-193
 sidestep oscillator, block diagram, 215-217
 stabilized master oscillator, 212-215
- Transceiver, UHF, AN/GRC-27A, 146-180
 description of, 146
 frequency selector system, 152
 autopositioner, 153
 preset panel, 152
 modulator-power supply, 176-180
 audio input circuit, 177
 output network, 174
 power amplifier, 173
 radio transmitter, T-217A/GR, 165-167
 receiver block diagram, 147-152
 radio receiver, R-278B/GR, front panel controls, 148
 r-f and injection frequencies for various dial readings, 151

- Transceiver, UHF, AN/GRC-27A--continued
 - receiver circuit operation, 154-165
 - audio amplifier circuits, 163
 - audio detector, series noise limiter, and AVC stages, 157
 - carrier-operated relay and squelch circuit, 162
 - delayed automatic volume control, 160-162
 - first injection system, 154
 - first mixer and first i-f amplifier stages, 156
 - noise cancellation detector, 160
 - r-f amplifiers, 154
 - second injection system, and second mixer, 157
 - shunt noise limiter, 160
 - third mixer-oscillator, 157
 - transmitter circuit operation, 167-176
 - audio input circuit, 177
 - driver, 173
 - exciter, 171-173
 - i-f oscillator, 168
 - main oscillator and frequency multiplier-amplifier, 167
 - output network, 174
 - power amplifier, 173
 - transmitter power and control circuits, 175
- Transmitter
 - circuit operation, radio set, AN/GRC-27A
 - driver, 173
 - exciter, 171-173
 - i-f oscillator, 168-171
 - main oscillator and frequency multiplier-amplifier, 167
 - output network, 174
 - power amplifier, 173
 - transmitter power and control circuits, 175
- Transmitter--continued
 - group of radar set, AN/SPS-29, 261
 - power and control circuits, radio set, AN/GRC-27A, 175
 - pulse sequence, Tacan, AN/SRN-6, 130
 - surface search radar, 232-239
 - block diagram, 232
 - circuit analysis, 233
 - directional coupler and echo box, 237-239
 - microwave switching, 235-237
 - Tacan, AN/SRN-6, 105
- Transmitting function, scan radar, 331
 - antenna, 337-339
 - modulator channel, 332
 - r-f channel, 333
 - traveling wave tube, 334-337
- Traveling wave tube, scan radar, 334-337
 - microwave circuits and antenna, 336
 - structural drawing, 334
- Trigger generator section, air search radar, AN/SPS-29, 267
- Tripler power amplifier, UHF radio transmitter, TED series, 38
- Tuning mechanism, countermeasures, AN/WLR-1, 8
- Video amplifier stages, Tacan, AN/SRN-6, 116
- Video chassis, AN/SRN-6, 128
- Video circuits
 - countermeasures, AN/WLR-1, 18
 - detector, Air search radar, 296
 - surface search radar, 252-254
- Voltage, antistickoff, Tacan, AN/SRN-6, 142
- Voltage, magnetic preamplifier, Tacan, AN/SRN-6, 137
- Volume control, radio set, AN/GRC-27A, 160
- Volume expander circuit, UHF radio transmitter, TED series, 46